

Americans with Disabilities Act

ADA Guide for Small Towns



**A guide for small local governments
including towns, townships, and rural counties.**

Reproduction

Reproduction of this document is encouraged.

Additional copies of this publication may be obtained by calling the ADA Information Line at 800-514-0301 (voice) 800-514-0383 (tty) or by visiting the Department's ADA Home Page on the World Wide Web (<http://www.ada.gov/index.html>).

Disclaimer

The ADA authorizes the Department of Justice to provide technical assistance to individuals and entities that have rights or responsibilities under the Act. This document provides informal guidance to assist you in understanding the ADA and the Department's regulation. However, this technical assistance does not constitute a legal interpretation of the statute.

B. Accessible Route

When a walk, pathway, or pedestrian route is necessary to provide public access to a program, service, or activity, an accessible route must be provided. An accessible route is an unobstructed pedestrian path that connects accessible elements and spaces such as accessible parking spaces, accessible entrances, accessible meeting rooms, accessible toilet rooms, etc. It can be a walkway, hallway, part of a courtyard, or other pedestrian space. An accessible route must be at least 36 inches wide, have no abrupt vertical changes in level (such as a step), have a running slope no more than 1:12 in most cases, and meet other requirements for cross slope, surface conditions, vertical height, and passing spaces. The width of an accessible route can be as narrow as 32 inches wide, such as at a doorway or a narrow section of hallway, but only for a distance up to 24 inches long.



An accessible route connects accessible parking (right) with the accessible entrance.