

REVISED SPECIAL PROVISIONS

Pavement Management Phase IIIB Pioneer Drive

MODIFICATIONS TO CITY OF VALDEZ STANDARD SPECIFICATIONS

The following listed provisions of the C.V.S.S. are amended as hereinafter stated:

ADD

SECTION 60.19 EXISTING STRUCTURE CLEANING AND INSPECTION

Article 19.1 Valve Cleaning and Inspection

Existing valves are to be cleared of any debris. Contractor to perform test valve actuation and record any observations. Contractor shall provide inspection footage of the valve and observations to the engineer for review and acceptance. Engineer will review footage and provide recommendation regarding additional required maintenance or valve replacement.

Article 19.2 Submittals

Submittals are to be provided to the Engineer for review and acceptance as stated in Division 10, Section 10.05, Article 5.6 – Product Data. Submittals, at a minimum, are to include applicable items identified below:

- Contractor shall submit well-lit before and after photos of each valve box cleaned.
- Annotated plan set showing location of each valve box serviced with corresponding identification number that aligns with photos.
- Notes of any deficiencies observed, i.e. missing lid or dust pan, misaligned riser casing and valve box, valves that are frozen and cannot be actuated, etc. Deficiencies shall be captured in photos to the extent feasible.

Article 19.3 Payment

Payment for this work is to be as specified in Division 10, Article 10.07 – Measurement and Payment, and include full payment for all work described in this section. Payment includes all labor, tools, equipment, apparatus and incidentals required to complete the work. At a minimum, no additional payment will be granted for setups, reverse setups, tear downs, relocation, overlapping footage per bid item, lost or damaged equipment, property owner coordination, and additional cleaning during inspection.

Payment will be made under the following units:

ITEM	UNITS
Clean and Clear Valve	EA