

NC MACHINERY



March 13th, 2018

CITY OF VALDEZ
BPO 67915
ATTN ROB COMSTOCK
VALDEZ, Alaska 99686-0307

Attention: ROB COMSTOCK

RE: Quote 195941-01

We would like to thank you for your interest in our company and our products, and are pleased to quote the following for your consideration.

One (1) New Caterpillar Model: 906M Wheel Loader with all standard equipment in addition to the specifications listed below:

STOCK NUMBER: TBD - NEW

SERIAL NUMBER: TBD - NEW

YEAR: 2018

SMU: NEW

NEW CAT 906M LIST PRICE	\$121,219.00
2018 NJPA CONTRACT DISCOUNT – 23% OFF LIST PRICE	-\$27,880.00
SUBTOTAL:	\$93,339.00

NON-CAT PRICE LIST ITEMS

FREIGHT FOB VALDEZ	\$6,880.00
NEW MACHINE PREP / PDI	\$1,250.00
5 YEAR / 5000 HOUR POWERTRAIN WARRANTY - TECHNICIAN TRAVEL TIME AND MILEAGE NOT INCLUDED	\$2,660.00
1 PAPER SET PARTS AND SERVICE MANUALS	\$1,200.00
TOTAL:	\$105,329.00

OPTIONAL ITEM:

CAT BP118C PICKUP BROOM – REF# 448-5690 – FREIGHT FOB VALDEZ FROM FACTORY INCLUDED	\$7,417.00
NJPA DISCOUNT OFF OF \$7,417 CAT LIST PRICE -	-\$1,705.00
FREIGHT – FACTORY TO VALDEZ	\$900.00
TOTAL WITH OPTIONAL ITEM INCLUDED:	\$111,941.00

WARRANTY

Standard Warranty:

1 YEAR CAT NEW MACHINE WARRANTY - TECHNICIAN TRAVEL TIME AND MILEAGE NOT INCLUDED

Extended Warranty:

5 YEAR / 5000 HOUR POWERTRAIN WARRANTY - TECHNICIAN TRAVEL TIME AND MILEAGE NOT INCLUDED

F.O.B/TERMS: VALDEZ, AK

Accepted by _____ on _____

Signature

We wish to thank you for the opportunity of quoting your equipment needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Steven Fisher
Machine Sales Representative
907-748-7540
SFisher@NCMachinery.com

STANDARD EQUIPMENT

Quote 195941-01

POWERTRAIN - Emissions Compliance - Higher Regulated Countries - -Cat 55kw gross, C3.3B engine - -US EPA Tier 4 Final Certified - Engines are fitted with - -cold start plugs - -electric fuel priming pump - -Air cleaner, two-stage with visual indicator - -Closed Circuit Breather - -Hydraulically driven suction fan - -S-O-S sampling valves (engine oil and hydraulic oil) - -Two speed hydrostatic transmission with inching function, 12 mph maximum speed - -Frame mounted heavy duty axles with outboard planetary reduction - -Maintenance free, sealed for life, prop shaft and universal joints

ELECTRICAL - 12 volt direct electric starting - Ignition key start / stop switch - 80 ampere alternator - Maintenance free, sealed for life, heavy duty battery - Cab mounted fuse panel - Service port connector for electronic diagnostics (ET)

OPERATOR ENVIRONMENT - Gauges: - - Fuel level - - Hydraulic oil temperature - - Engine coolant temperature - - Speedometer - Operator station on isolation mounts - Digital service hour meter - Operator warning system indicators: - - Master warning - - Parking brake applied - - Hydraulic oil pressure - - Engine oil pressure - - Coolant temperature - - Electrical system - - Hydraulic filter bypass - Multifunction joystick: - - Forward/neutral/reverse - - Gear 1/2 switch, low range - - Differential Lock switch - - Continuous flow, auxiliary - Internal rear view mirror - Suspension seat, adjustable wrist rest - Interior/Exterior aux. power sockets - Suspended brake/accel. pedals - Cup holder - Heavy duty easy clean floor mat - Personal storage - Onboard digital display cluster - 2 external mirrors - knockback - ROPS/ FOPS certified cab, Level I - Retractable seat belt, 50mm (2 in) -

OTHER STANDARD EQUIPMENT - Z bar linkage with parallel lift - 3rd valve aux hydraulics, standard flow - Engine enclosure - lockable - Lockable side door compartments - Hydraulic oil level sight gauge - Lockable fuel filler cap - Radiator expansion bottle - Quick release fuel filter/water separator - ECO engine oil drain - Quick Coupler - Parking Brake (Secondary Brake) - Quick disconnect hydraulics, auxiliary - Recovery hitch & pin - Front and rear fenders - Pressure test points - Machine lifting/tie down points - Loader end float function - High intensity rear lights - Reversing light - E coat primer - Self-cancelling direction indicators -

MACHINE SPECIFICATIONS**Quote 195941-01**

906M WHEEL LOADER S3B CERT	437-9005
ROADING LIGHTS, RH DRIVE	313-1722
ENGINE, 55KW, CAT C3.3B, T4F	437-9054
TRANS 22 MPH DIFFERENTIAL LOCK E/H	437-9068
STANDARD SOUND SUPPRESSION	437-9056
ECO DRAIN VALVE	308-0189
STANDARD AIR INTAKE	273-9577
ON DEMAND COOLING FAN	447-9417
VERTICAL COUPLER, HI FLOW AUX HYDRAULICS	452-0773
PRODUCT LINK, CELLULAR, PL641	509-6603
DELUXE CAB, SINGLE BRAKE	438-1876
DELUXE SEAT	539-7204
RETRACTABLE SEAT BELT, 3"	236-8015
AIR CONDITIONER AND HEATER	437-9132
E/H JOYSTICK, TANDEM VALVE	437-9092
LOAD/ROAD FEATURE PACKAGE	447-0746
TIRES, 340/80 R18, NOKIAN TRI 2	436-0924
-58F ANTIFREEZE	454-2910
LED CAB WORK LIGHTS	496-9971
BACK UP ALARM	423-3083
WORK TOOL WIRING HARNESS	455-8485
ENGINE COOLANT HEATER, 120V	345-3556
REAR SUN SCREEN	279-0643
RADIO, FM BLUETOOTH	541-4413
1.2 YD3 GENERAL PURPOSE BUCKET W/ BOLT ON CUTTING EDGE	284-9279
ROTATING BEACON	260-5501