



**STAGE
LINE**



**SL100 NEW FEATURES
WE'VE KEPT THE BEST AND MADE IT BETTER**

OVERALL RIGGING EFFICIENCY AND STRENGTH

TOTAL RIGGING CAPACITY: 11,800 lb (5,351 kg)



FLYBAYS

- 1 Permanently mounted side rigging trusses with a 1,500 lb (680 kg) capacity per side. Truss deploys in seconds.
- 2 Line array and screen rigging capability with multiple configurations (optional).
- 3 Rigging points for PA in front of all 4 corner posts, under the roof.

INCREASED RIGGING OPTIONS WITH THE 6' (2M) SIDE RIGGING TRUSSES FOR LED SCREEN OR SPEAKERS.

1 T2 TRUSSES

Increased capacity to
1,200 lbs (544 kg)

2 REDESIGNED FOH

Capacity of 700 lbs (317 kg)

CERTIFICATION

IBC 2015 compliant
(International Building Code)



DECK AND CHASSIS

A stronger deck now at 150 lb/ft² (732 kg/m²).

Leg installation with steel components instead of cables.

Cross braced steel members added to support legs under the mid-section of trailer frame.

STRONGER LEGS = GREATER STABILITY = GREATER WIND RESISTANCE
Up to 115 mph (185km/h)

MULTIPLE RIGGING OPTIONS

24 built in rigging points with a capacity of up to 1,500 lb (680 kg).

MOVABLE RIGGING BRACKETS

4 movable rigging brackets provided as standard.

NEW FEATURES

THAT MAKE THE SL100 EVEN EASIER TO USE

HYDRAULICS

- 1 Levers relocated & end panels redesigned for improved visibility
Electric starter included

BANNERS & SKIRT

- 2 Rooftop and side banner system simplified - components interchangeable
- 3 Banner pipes installed with easy key connectors, reducing amount of pins
- 4 Pre-cut skirt holes for banner pipes

STORAGE

- 5 Corner posts stored in roof panels
- 6 Custom design racks for loose staging components
eg. : Extension legs, banner kit and line array trusses

STAGE

- 7 Corner post connectors redesigned and reinforced
- 8 Permanently installed guardrail and cargo bumper
Additional storage compartment included

LIGHTS

4 battery powered LED work lights
2 in the roof - 2 under the floor

BATTERY

- 9 Battery system - 3 functions: work lights, emergency breakaway system and engine starter
Battery recharging when 110v outlet is connected or truck is attached and connected (12 volt)

SAFETY

- 10 Optional engine kill switch
- 11 Steps for easy access to pin telescoping sections
Built in ground lug



LESS HANDLING FOR AN EASIER SET-UP

Stageline SL100 Mobile Stage

Floor Size: 24' x 20'
 Wind Resistance: 115 mph without windwalls
 Trailer Weight: 9,990 lb



| | | |
|-----------------------------|-----------|----------------|
| Standard Equipment * | \$ | 122,500 |
| Options & accessories | \$ | 28,460 |
| Transport & Training | \$ | 21,390 |
| Sub-Total | \$ | 172,350 |
| Discount | -\$ | 5,000 |
| Total | \$ | 167,350 |

All prices are in USD

Taxes not included (if applicable)

Payment terms: 30% to confirm, balance prior to departure

Approval

Date:

Signature:

Name:

EIN # (if applicable):

STANDARD EQUIPMENT ***ROOF STRUCTURE & RIGGING**

4 Built-in trusses / aluminum 2" diameter tube trussing
 24 Built-in rigging points - 4 movable rigging brackets included
 Rigging bar / 14' - spans 2 rigging points from left to right
 2 side overhang rigging beams 6'
 Rigging points in front of corner posts
 4 Aluminum corner posts
 Fiberglass roof molded and wrapped around structure - black roof
 Rigging load capacity tested at twice the working load
 Total roof load capacity with sound wings:
 Galvanized steel column - one on each side

Compatible with industry clamps
 Capacity: up to 1,500lb
 Capacity: 30 lb / ft
 Capacity: 1500 lb per side
 Capacity: 1500 lb per side
 Added roof stability and safety

11,800 lb
 System safety hoists rigged loads

HYDRAULICS

Double mast lifting mechanism (for a fully hydraulic set up of the stage, roof, sound, lighting and other equipment)
 High power integrated hydraulic system
 4 Hydraulic stabilizers / stage levels from 3' 6" to 4' 3"
 Vertical support capacity (each): 15,000 lb
 Lateral support capacity (each): 2,000 lb
 Gas engine

Lifting Capacity: 3,800 lb - balanced load

Equipped with safety valves on all cylinders
 No tools required

No other power source required

STAGE

Plywood, black finish, non slip / quick levelling legs
 Multifunctional extruded aluminum deck edges
 Guardrails (stage model) / aluminum
 Support brackets built-in for Stageline platforms
 Aluminum stairway - 7 steps - adjustable - 35" wide - with handrails
 4 LED work lights

24' x 20'
 To install decks, skirts, guardrails & staircases
 5 x 5' 9" + 2 x 2' 8"
 Full perimeter

2 in the roof, 2 on the chassis

TRAILER

Drawbar with pintle eye
 2 Leaf spring axles
 4 Tires
 Electric brakes on all wheels
 Emergency breakaway system
 Storage compartment
 Spare wheel / full-size rim / integrated storage
 2 Storage bumpers
 10 Equipment tie-downs
 Storage weight capacity
 Storage space capacity

Capacity: 14,990 lb
 0.40 m (16")

DOT requirement
 14" x 16" x 36"

Protects structure

2,268 Kg (5,000 lb)
 23' 10" x 5' 6" x 5' 6" = 720 ft³

STANDARDS & CERTIFICATIONS

Applicable regulations
 Vertical load:
 Wind resistance:

IBC, SAE, DOT, NFPA, CBC, NBC & CWB
 Floor: 7.18 KPa (150 psf) / Roof: 1 KPa (20 psf)
 115 mph without windwalls
 77 mph with windwalls

Certificate stamped by professional engineers
 All technical documents supplied
 24/7 service support +1(800) 267-8243

8-Oct-18

City of Valdez, AK

Rev 2

OPTIONS & ACCESSORIES

| A | WINDWALLS - SKIRTS | VINYL/ SCRIM | Price (USD) | Quantity | |
|--|---|-----------------|-------------|----------|----------|
| a1 | Upstage fire retardant windwall - 44' long x full height (with doors) (keder aluminum track system for easy installation) - black | VINYL | \$ 4,200 | 1 | \$ 4,200 |
| a2 | Backdrop - 24' x 15' - black | | \$ 1,650 | | |
| a3 | Downstage windwall extensions - 10' 3" x 15' (with doors) - (Set of 2) - black | | \$ 2,300 | | |
| a4 | Skirting - 40' x 4' - black | VINYL | \$ 1,350 | 1 | \$ 1,350 |
| a5 | Skirt extension - 8' 6" - black | | \$ 295 | | |
| * for options a1 to a5, select material - also available in grey - fabrication delay | | | | | |
| B | SOUND WINGS & RIGGING | | Price (USD) | Quantity | |
| b1 | Extension platforms (black non-slip) & accessories - 4' x 8' - (sugg'd qty: 4) | | \$ 990 | 4 | \$ 3,960 |
| b2 | Guardrails (platform model) / aluminum - 3' 8" - (sugg'd qty: 8) | | \$ 180 | 8 | \$ 1,440 |
| b3 | Reinforced flybays with line array and screen rigging points (set of 2) | | \$ 1,750 | 1 | \$ 1,750 |
| b4 | FOH pipes - capacity: 700 lb - (set of 2) | | \$ 1,830 | | |
| b5 | Movable rigging brackets - (set of 2) | | \$ 150 | 1 | \$ 150 |
| b6 | 2 Cylinder locks (corner post substitute) | | \$ 500 | 1 | \$ 500 |
| C | BANNER SUPPORTS | | Price (USD) | Quantity | |
| c1 | Rooftop banner support posts - 37' x 4' | | \$ 725 | 1 | \$ 725 |
| c2 | Banner framing bars | | \$ 450 | 1 | \$ 450 |
| c3 | Lateral banner supports - 6' x 15' 10" - includes pulley rigging points for retractable banner system | | \$ 800 | 1 | \$ 800 |
| c4 | Lateral bars at stage level / keeps lateral banners taut | | \$ 900 | 1 | \$ 900 |
| D | UPSTAGE DECK UPGRADE - Extend to 24' x 24' | | Price (USD) | Quantity | |
| d1 | 3 Extension platforms & accessories - 4' x 24' | | \$ 2,970 | | |
| d2 | 8 Guardrails (platform model) / aluminum - 3' 8" | | \$ 1,440 | | |
| d3 | Bracing system for extension platforms | | \$ 810 | | |
| d4 | Windwall to cover increased area | | \$ 540 | | |
| E | HYDRAULICS | | Price (USD) | Quantity | |
| e1 | Hydraulic quick connectors | | \$ 450 | 1 | \$ 450 |
| e2 | Electric motor, 1 hp, 110 V, hydraulic connections and pump for dual power (steel storage compartment included) | | \$ 2,500 | 1 | \$ 2,500 |
| e3 | Safety cut off switch | | \$ 675 | 1 | \$ 675 |
| F | REVERSIBILITY | | Price (USD) | Quantity | |
| f1 | Keder to receive windwalls on downstage roof panels | | \$ 350 | 1 | \$ 350 |
| f2 | Hardware to receive flybays, lateral banners and FOH pipes on upstage roof panels | | \$ 2,160 | 1 | \$ 2,160 |
| H | TRAILER HITCH | | Price (USD) | Quantity | |
| h1 | Gooseneck / kingpin for 5th wheel hookup (instead of drawbar with pintle eye) | | \$ 2,100 | 1 | \$ 2,100 |
| h2 | Gooseneck / ball hitch hookup (instead of drawbar with pintle eye) | | \$ 2,100 | | |
| h3 | Ball hitch (attachment only) | | \$ 1,100 | | |
| h4 | Drawbar / pintle hitch (in addition to gooseneck) | | \$ 2,400 | | |
| h5 | Hydraulic foldable gooseneck for kingpin or ball hitch (instead of drawbar with pintle eye) | | \$ 5,500 | | |
| I | ACCESSORIES | | Price (USD) | Quantity | |
| i1 | Aluminum stairway - 7 steps - adjustable - 35" wide - with handrails | | \$ 1,500 | 1 | \$ 1,500 |
| i2 | Loading ramp / aluminum - 3' x 12' | | \$ 1,325 | | |
| i3 | Loading ramp / aluminum - 4' x 12' | | \$ 2,300 | | |
| i4 | ADA lift - up to 5' - 600 lb max load - portable - access from all sides | | \$ 9,790 | | |
| i5 | Extension platform (black non-slip) & accessories - 4' x 8' | | \$ 990 | | |
| i6 | Extension platform (black non-slip) & accessories - 4' x 4' | | \$ 800 | | |
| i7 | Guardrail (platform model) / aluminum - 3' 8" | | \$ 180 | | |
| i8 | Guardrail (stage model) / aluminum - 2' 8" | | \$ 160 | | |
| i9 | Guardrail (stage model) / aluminum - 5' 9" | | \$ 320 | | |
| i10 | Guardrail (stage model) / aluminum - 5 x 5' 9" + 2 x 2' 8" | | \$ 1,900 | | |
| i11 | Quick shelter, polyester roof and walls - 8' x 8' | | \$ 1,600 | | |
| i12 | Quick shelter, polyester roof and walls - 10' x 10' | | \$ 1,800 | | |
| i13 | Storage compartment / steel - 14" x 16" x 36" | | \$ 775 | | |
| i14 | Underfloor storage system for options and accessories | | \$ 2,500 | 1 | \$ 2,500 |

8-Oct-18

City of Valdez, AK

Rev 2

OPTIONS & ACCESSORIES

| J | LIGHTING & SOUND | Price (USD) | Quantity |
|----------|---|--------------------|-----------------|
| j1 | Basic lighting package 8 x LED Par64 Par cans - DMX controllable - 1 x DMX lighting controller, all clamps, plugs and cables | \$ 4,500 | |
| j2 | Basic sound system 2 x active 550 watt 2 way PA speaker system with stands & cables / 1 x 6 channel analog mixer with cables, 2 x unidirectional microphones with stands & cables | \$ 3,500 | |
| j3 | Power distribution - portable - 50 amp for basic sound and lighting package | \$ 2,350 | |
| j4 | Generator - portable 4,500 watt - powers sound and lighting (65 dB 24') | \$ 4,995 | |
| | Road Cases - options: | | |
| j5 | Basic lighting package | \$ 975 | |
| j6 | Basic sound system package | \$ 1,600 | |
| j7 | Basic lighting and sound system package | \$ 2,450 | |
| K | TRAILER GRAPHICS | Price (USD) | Quantity |
| k1 | Logo only | TBD | |
| k2 | Full graphic trailer wrap - (2 x (24' 7" x 7' 2") - 2 x (4' 11" x 7')) | \$ 3,675 | |
| | Customized scrim* banners - printed graphics - 4 color process | | |
| k3 | Rooftop header banner - 24' x 3' 10" | \$ 970 | |
| k4 | Rooftop header banner - 37' x 3' 10" - spans lateral banners | \$ 1,390 | |
| k5 | Lateral banners - 6' 6" x 15' 9" (Set of 2) | \$ 1,045 | |
| k6 | Rear banner - 23' 4" x 12' 11" - installs full size, with or without backdrop <i>*available in vinyl - prices vary</i> | \$ 2,725 | |
| L | MISCELLANEOUS | Price (USD) | Quantity |
| l1 | Misc_1 | TBD | |
| l2 | Misc_2 | TBD | |

Total for Options & Accessories \$ **28,460**

SERVICES

| | SERVICES | Price (USD) | Quantity |
|-----|---|--------------------|-----------------|
| m1 | Trailer shrink wrap | \$ 700 | |
| m2 | Transport - to City of Valdez | \$ 12,750 | 1 |
| m2a | Transport to Champlain, NY - includes customs paperwork | \$ 1,200 | |
| m3 | Training course - 3 day comprehensive (subject to options chosen) - maximum 4 technicians | \$ 2,440 | 1 |
| m4 | Trainer expenses - to, in & from training site (n/a when training given at Stageline) | \$ 6,200 | 1 |

Total for Services \$ **21,390**

TRANSPORTATION, TRAINING AND TRAINER'S EXPENSES WILL BE INVOICED SEPARATELY.

*Prices & specifications subject to change without notice

Stageline SL100 - Sales Quote 2018



Costs related to transportation, training and trainer expenses (travel, accommodation and per diem) not included.
EXW: L'Assomption, Quebec, Canada

Stageline Mobile Stage Inc.
700 Marsolais Street, L'Assomption, Quebec, Canada J5W 2G9

Tel.: (450) 589-1063, Fax: (450) 589-1711
www.stageline.com